

Sectional Ground Rods

Sectional Copper Clad Steel Ground Rods

Part No.	Size	Approx. Each Wt. (lbs.)	Standard Bundle	Approx. Wt. lbs./Bundle	UL Mark
S582	5/8" x 2'	2	5	10	No
S583	5/8" x 3'	3	5	15	No
S585	5/8" x 5'	5	5	25	No
S588	5/8" x 8'	7	5	35	Yes
S5810	5/8" x 10'	9	5	45	Yes
S348	3/4" x 8'	11	5	55	Yes
S3410	3/4" x 10'	13	5	65	Yes
S110	1" x 10'	23	3	69	Yes

• For more information refer to Ground Rod table on page 326.



 US Listed 467

Sectional Solid Copper Ground Rods

Part No.	Size	Approx. Each Wt. (lbs.)	Standard Bundle	Approx. Wt. lbs./Bundle	UL Mark
S582C	5/8" x 2'	3	5	15	No
S583C	5/8" x 3'	4	5	20	No
S585C	5/8" x 5'	6	5	30	No
S345C	3/4" x 5'	9	5	45	No
S15C	1" x 5'	16	3	48	No

• All rods are full diameter.



Sectional Stainless Steel Ground Rods

Part No.	Size	Approx. Each Wt. (lbs.)	Standard Bundle	Approx. Wt. lbs./Bundle	UL Mark
S585SS3	5/8" x 5'	6	5	30	No
S588SS3	5/8" x 8'	9	5	45	Yes
S5810SS3	5/8" x 10'	11	5	55	Yes
S3410SS3	3/4" x 10'	15	5	75	Yes

- All rods are full diameter.
- Manufactured from Solid 304 Stainless Steel.



 US Listed 467

APPLICATION NOTES:

- Sectional ground rods are used to help reduce ground resistance in poor soils such as sand and gravel.
- Doubling ground rod length theoretically reduces resistance 40%.